

## Product information


### Single Section Wall Mount Cabinets



#### Features

- Standard color RAL 7035 (light grey – powder painted)
- Full glass or full steel doors
- Protection rating IP20 in accordance with norms PN 92/E-08106 / EN 60 529 / IEC 529 when mounted with rear blind plate (not applicable with brush cable entries)
- Dedicated for indoor use
- Wide range of optional accessories (shelves, fan units, cable management)
- Specially designed holes in roof and base of the cabinet for mounting single fan module
- Cabinet assembled with pre-punched holes in the roof and base for cable entry ( 250 x 70 mm)
- Doors can be mounted with opening to left or right side, opening angle of 180°
- Cabinet comes assembled with a tin-plated rear panel
- Cabinet equipped with a pair of 19" vertical mounting rails
- possibility of adjusting the depth of the mounting rails from 305 to 345 mm

Cabinets are delivered completely assembled in a carton box.



## Product information

### Single Section Wall Mount Cabinets

## Available dimensions

| Type       | Dimensions (mm) |       |        | Weight (kg) | Load capacity (kg) | Index door glass | Index door plate |
|------------|-----------------|-------|--------|-------------|--------------------|------------------|------------------|
|            | Width           | Depth | Height |             |                    |                  |                  |
| <b>4U</b>  | 560             | 400   | 285    | 14,2        | 40                 | 11081647.1V      | 11081642.1V      |
| <b>6U</b>  | 560             | 400   | 375    | 16,1        | 40                 | 11082647.1V      | 11082642.1V      |
| <b>9U</b>  | 560             | 400   | 510    | 18,4        | 50                 | 11083647.1V      | 11083642.1V      |
| <b>12U</b> | 560             | 400   | 640    | 21,4        | 50                 | 11085647.1V      | 11085642.1V      |

# Contact



BKT Elektronik

Export Department

69 Łochowska Str.

86-005 Białe Błota

tel. +48 52 36 36 371, -772, -780

fax. +48 52 36 36 370

e-mail: [export@bkte.pl](mailto:export@bkte.pl)

